



**File Name:** brother hl-2070n user manual.pdf

**Size:** 4317 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 6 May 2019, 20:56 PM

**Rating:** 4.6/5 from 813 votes.

**Status:** AVAILABLE

Last checked: 1 Minutes ago!

**In order to read or download brother hl-2070n user manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with brother hl-2070n user manual . To get started finding brother hl-2070n user manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# brother hl-2070n user manual

You can find a printed copy in the box. Keep the CDROM in a You can also read the Users Guide with You must set up the hardware and install the driver before you can use the printer. Please use the Quick Setup Guide to set up the printer. You can find a printed copy in the box. Electrical Hazard icons alert you to a possible electrical shock. Hot Surface icons warn you not to touch machine parts that are hot. Cautions specify procedures you must follow or avoid to prevent possible damage to the printer or other objects. Before you clean the inside of the printer, make sure you have turned off the power switch and unplugged the printer from the AC power outlet. Do not handle the plug with wet hands. Doing this might cause an electrical shock. Apple, the Apple Logo, Macintosh and TrueType are registered trademarks of Apple Computer, Inc in the United States and other countries. Epson is a registered trademark and FX80 and FX850 are trademarks of Seiko Epson Corporation. Hewlett Packard is a registered trademark and HP LaserJet 6P, 6L, 5P, 5L, 4, 4L 4P, III, IIIP, II, and IIP are trademarks of HewlettPackard Company. A1 Symbol and character sets For HL2070N.A9 How to use the Web browser.Power supply Use the printer within the recommended power range.Type and size of paper The printer loads paper from the installed paper tray, or the manual feed slot. The names for the paper trays in the printer driver and this guide are as follows Paper tray Tray 1 Manual feed slot. Portrait Letter Legal B5 ISO Executive 4.23 mm 4.23 mm 4.23 mm 4.23 mm 4.23 mm 4.23 mm 4.23 mm 4.23 mm 0.16 in. 0.16 in. 0.16 in. For the paper you want to use, see What kind of paper can I use.Check that the guides are firmly in the slots. Put paper in the tray.Note If you choose not to lift up the output tray support flap, we recommend that you remove printed pages immediately after they come out of the printer. Select the Paper Size, Media Type, Paper Source and other settings in the printer driver.<http://afgventuregroup.com/cfiles/british-gas-c1-boiler-manual-free-download.xml>

- **brother hl-2070n user manual, brother hl-2070n service manual, brother hl-2070n user manual, brother hl-2070n user manual pdf, brother hl-2070n user manual download, brother hl-2070n user manual free, brother hl-2070n user manual 2017.**

Select Plain Paper, Bond Paper or Transparencies. Note If you choose not to lift up the output tray support flap, we recommend that you remove printed pages as soon as they come out of the printer. Repeat for each page that you want to print. Note If you print on transparencies, remove each transparency immediately after printing. Stacking the printed transparencies may cause a paper jam or the transparency to curl. When you select the paper you want to use, see What kind of paper can I use.Note A No paper fed manual feed slot status is shown by the control panel LEDs until you put a sheet of paper or an envelope in the manual feed slot. Lift up the support flap to prevent paper from sliding off the facedown output tray. For more information about how to choose the settings, see the Help text in the printer driver. Note When you put paper in the paper tray, first empty the tray then put the printed pages in the tray, with the printed side face up. If you print 10 pages on 5 sheets of paper, it will print page 2 then page 1 on the first sheet of paper. It will print page 4 then page 3 on the second sheet of paper. You can reprint a document without sending the data again from your PC.Using this function allows you to do the following. Error Message Printout You can choose whether the printer reports problem by printing error page or not. About the errors, see Error message printout on page 63. Selections are Printer Default ON, ON and OFF. 2 9. This printer has an Automatic Emulation Selection feature. When the printer receives data from the computer, it automatically chooses the emulation mode. This feature has been set at the factory to ON. The LED indications shown in the table below are used in the illustrations in this chapter. LED is off LED is on

LED is blinking. Pressing the Go button wakes up the printer from Sleep mode to Ready mode. Ready to print The printer is ready to print. Warming up The printer is warming up. <https://www.dixonleads.com/userfiles/british-gas-rd532i-manual.xml>

See Replacing the toner cartridge on page 53. Cartridge position error The toner cartridge is not installed correctly. Take out the toner cartridge and put it back into the printer again. Back cover is open Close the back cover of the printer. Paper jam Clear the paper jam. See Paper jams and how to clear them on page 65. If the printer does not start printing, press the Go button. If you see the service call indication above, turn off the power switch, wait a few seconds, and then turn it back on and try to print again. Error recovery If there is an error, the printer will recover automatically from some errors. Using control panel button Turn off the printer. Make sure that the front cover is closed and the power cord is plugged in. Hold down the Go button as you turn on the power switch. Using the control panel button Make sure that the front cover is closed and the power cord is plugged in. Turn on the printer and wait until the printer is in the Ready state. Using the control panel button Turn off the printer. Make sure that the front cover is closed and the power cord is plugged in. Make sure that all the LEDs light up to indicate the print server has been reset to its default factory settings. Network factory default setting with APIPA protocol disabled For HL2070N If you wish to reset the print server back to its factory default settings with APIPA protocol disabled, please follow these steps Turn off the printer. The starter toner cartridge will print up to 1,500 A4 or Letter size singlesided pages at 5% coverage. Standard and replacement toner cartridges print up to 2,500 A4 or Letter size singlesided pages at 5% coverage. When you want to buy toner cartridges, call the dealer you bought the printer from or Brother Customer Service. If you put it in properly, the lock lever will lift automatically. CAUTION Make sure you insert the toner cartridge properly or it may separate from the drum unit. At 5% print coverage A4 or Letter size. See Cleaning on page 511.

Follow these steps to replace the drum unit. Make sure that the printer is turned on and the Drum LED is blinking. Close the front cover. Make sure that the Drum LED is now off. 5 10. When you replace the toner cartridge or the drum unit, make sure you clean the inside of the printer. If printed pages are stained with toner, clean the inside of the printer with a dry, lintfree cloth. Remove anything that is stuck inside the paper tray. Wipe the inside of the paper tray with a soft cloth to remove dust. Put the paper tray firmly back in the printer. Plug the printer back in and turn on the printer power switch. Pull out the drum unit and toner cartridge assembly. HOT SURFACE After you have just used the printer, some internal parts of the printer are extremely hot. Wait for the printer to cool down before you touch the internal parts of the printer. Pull out the drum unit and toner cartridge assembly. If you do not, printed pages may have a vertical stripe. If you need additional help, the Brother Solutions Center offers latest FAQs and troubleshooting tips. Take the corrective actions listed in the following table for the error message that the Status Monitor reports. The default setting for the Status Monitor is off. If you would like to turn the status monitor on, you can change the setting of the Status Monitor in the Device Options of the Advanced tab. Take the corrective actions for the error message. Cancel the print job if you want to delete the data remaining in the printer, see Cancel printing on page 37. See What kind of paper can I use. If the paper is paper. HOT SURFACE After you have just used the printer, some parts inside the printer are extremely hot. When you open the front cover or back cover of the printer, never touch the shaded parts shown in the illustrations. Open the front cover. Pull out the drum unit and toner cartridge assembly slowly. The jammed paper will be pulled out with the drum unit and toner cartridge assembly.

CAUTION To prevent damage to the printer caused by static electricity, do not touch the electrodes shown in the. Pull the tab toward you to open the rear chute cover. Rear Chute Cover Pull the jammed paper out of the fuser unit. If the jammed paper cannot be pulled out easily, push down the

tab with one hand as you gently pull the paper out with other. 6 7. Wait for the printer to cool down before you touch the internal parts of the printer. Close the back cover. Push the lock lever down and take the toner cartridge out of the drum unit. Put the paper tray firmly back in the printer. Close the front cover. Make sure that the Paper LED is now off and the printer is ready. 6 9. There Check that the printer cable is not damaged or broken. See What kind of paper can I use. Clean the drum unit as follows 75 mm 3.0 in. Position the print sample in front of the drum unit, and find the exact 75 mm. Put in a new drum unit. See What kind of paper can I use. Put in a new toner cartridge. See ABCDEFGH Replacing the toner cartridge on page 53. We recommend you use a parallel or it prints garbage data. Note If you use paper other than the ones recommended, a paper jam or misfeeding may occur in the printer. See Recommended paper on page 15. Usually, the opening side of the ream of paper package is the print side. Follow any indication of the print side on the paper package. How to use the Web browser To use the Web browser, follow the steps below. Calls must be made from within that country. Register your product By registering your Brother product, you will be recorded as the original owner of the product. The label shown below is attached in countries where it is needed. In case of an emergency, you must disconnect the power cord from the power outlet to shut off the power completely. Caution for LAN connection For model HL2070N only Connect this product to a LAN connection that is not subjected to overvoltages. Calls must be made from within that country.

Register your product By registering your product with Brother International Corporation, you will be recorded as the original owner of the product. Service center locations Canada only For the location of a Brother authorized service center, call 1877BROTHER Brother fax back system USA only Brother has installed an easy to use fax back system so you can get instant answers to common technical questions and product information. Operation is subject to the following two conditions 1 This device may not cause harmful interference, and 2 this device must accept any interference received, including interference that may cause undesired operation. In case of an emergency, you must disconnect the AC power cord from the AC power outlet to shut off the power completely. Caution for LAN connection For model HL2070N only Connect this product to a LAN connection that is not subjected to overvoltages. Operation is subject to the following two conditions 1 This device may not cause harmful interference, and 2 this device must accept any interference received, including interference that may cause undesired operation. Drum LED indicates when the Drum is nearing end of life. Paper LED indicates when there is Cover open or a paper jam. Ready LED indicates when the printer is ready or if Data is remaining. If you do not want to install the User's Guide, select Custom setup from Install Printer Driver, and deselect User's Guide in PDF format when you install the driver. Do NOT connect the interface cable. You will be prompted to connect the You will be prompted to connect the interface cable during the driver interface cable during the driver. Do NOT connect the interface cable. You will be prompted to connect the interface cable during the driver installation. Open the front cover of the printer. Front cover Close the front cover of the printer. Check that the paper is flat in the tray and below the maximum paper mark. The printer prints a Do NOT connect the interface cable.

test page. You will be prompted to connect the Check that the test page has printed interface cable during the driver correctly. Select Search the network for devices and choose from a list of discovered devices Recommended. Or enter your printers IP address or its node name. Installing the driver and selecting the appropriate printer queue or share name Click Install Printer Driver on the Menu Select Network Shared Printer, and then. From the Go menu, select Applications. For HL2070N users Select the USB interface. From the Printer Setup Utility menu, select Quit Printer Setup Utility. Click Add. The setup is now complete. Select USB. Select the appropriate printer, and then click the Add button. Select Brother HL2070N series, and then click the Add button. Click Add. If there is more than one of the same model printer HL2070N connected on your. Doubleclick the Printer Driver Installer icon to install the printer driver. Follow the onscreen instructions. Connect

the network interface cable to the printer, and then connect it to a free port on your hub. For more information on BRAdmin Professional go to Insert the CDROM into your CDROM Click BRAdmin Professional. The User Name is admin and the default Password is access. You can use the web browser to change this password. We recommend that you save and use the original packaging. The Printer should also be adequately insured with the carrier. When shipping the printer, the DRUM UNIT assembly and TONER CARTRIDGE must be removed from the printer and placed in a plastic bag. You can expand the capability of the printer by adding these items. Users Guide Chapter 4. Wireless IEEE802.11b External Print Server Print Server NC2100p NC2200w For HL2040 only If you are going to connect the printer to If you are going to connect the printer to your wireless network, purchase the your network, buy the optional Network. Watermark Printing; Poster Printing; Booklet Printing; NUp Printing; Toner Save Mode; Manual Duplex.

Extensive user support. The HL2070N printers feature a Please use the Quick Setup Guide to set up the printer. Summary of Contents for Brother HL2070N. Brother Laser Printer. HL2030. HL2040. HL2070N. Users Guide. Version 5. Printing on thick paper, labels and envelopes from the manual feed slot. Download user manual for Brother HL2070N Printer. This document in PDF contains owners manual, operating instructions or user guide, troubleshooting Where to report hackers, Forscom form 156r, Jeff clark sx26a short report, Access report field wrap, Custodial power of attorney sample. Reload to refresh your session. Reload to refresh your session. Setup is Complete! How to use the printer, see the User's Guide in the CDROM. Page 2 To Use the Printer Safely Safety Precautions Page 3 Table of Contents Page 5 FDA Regulations 100 to 120 volt Model Only Disconnect device Page 8 Supplied CDROM Page 12 Step 1 Setting Up Your Printer Page 15 Your Printer Setting your printer as the default Page 16 Step 2 Installing the Driver Page 17 For Network Interface Cable Users HL2070N Users Page 19 Your Printer Page 20 Step 2 Installing the Driver A From the Printer Setup Utility menu, select. Page 22 Step 2 Installing the Driver Page 23 For Network Interface Cable Users HL2070N Users Connecting. Page 24 Step 2 Installing the Driver A Select Brother. Page 25 Your Printer Page 27 Web browser The Brother print server is equipped with a web server that allows you. The printer has the following optional accessories. You can expand the capability of the. Brother print servers have two LEDs on the back panel of the printer. The upper side LED shows Link status. The problem may be the result of mismatched or duplicate IP address. Verify that the IP address is correctly loaded into the print server. And make sure that no other nodes on the network have this IP address. For information on how to print the Printer Settings Page, see Printing the Printer Settings Page on page 72. Otherwise, go to Step 5.

Used Good The page count is only 1354 Pages. However, we do not guarantee the cartridge after shipping. We include a 30day freeexchange warranty! shipping not included Please try again. Please try again. Please choose a different delivery location. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Made by Toner Jockey. Register a free business account Please try your search again later. Offering the same footprint, print speed, and paper capacity as the HL2040, the HL2070N also includes a number of additional features. These include 16MB of standard memory, PCL6 emulation, and a builtin Ethernet network interface. It comes with Webbased printer management capability, as well as other network management tools to make setting up and using your printer on your wired or wireless home network fast and easy. These features make the HL2070N ideal for home or home office printer sharing. Convenient manualfeed slot Printers that deliver outstanding print quality The HL2070N is ideal for anyone who needs to produce highquality output. With HQ1200 print resolution up to 2,400 x 600 dpi, these printers can deliver the crisp text and graphics to produce professional looking letters, reports, spreadsheets, and other important documents. The HL2070N will ensure that your work always looks its best. Paper handling flexibility The HL2070N can handle a wide variety of media. It features 250sheet paper capacity and a singlesheet manual feed slot. The manual feed slot accommodates letterhead, envelopes, or other media up to 43 lbs. Toner Save

Mode To help you save money and toner when printing a variety of textbased documents, the HL2070N allow you to choose a Toner Save Mode. Most textonly documents can be printed using Toner Save Mode with minimal impact to print quality. Access powerful features via easytouse driver software.

Advanced features that go beyond your expectations The HL2070N printers offer many advanced features that will exceed your expectations and reaffirm their value. These include Watermark Printing Poster Printing Booklet Printing NUp Printing Toner Save Mode Manual Duplex Extensive user support The HL2070N printers feature a variety of innovative and useful support tools. A userfriendly driver installation routine autodetects your operating system as well as any installed options. Animated tutorials answer common maintenance and support questions. This highly visual system provides direct, stepbystep help. For added support, the Brother Solution Center is an online repository of information, driver downloads, user manuals and FAQs to help you get the most out of your printer. Service and support are part of the package Your technology investment is backed by our dedication to comprehensive service and support. We provide tollfree technical support, a oneyear limited warranty, and the online Brother Solutions Center, all backed by our nationwide network of authorized customercare centers. Extensive compatibility The HL2070N is Windows and Mac compatible and come with a complete set of drivers for both platforms. The printer also offers USB 2.0 full speed and parallel interfaces for greater flexibility cables not included. Whats in the Box Printer, drum unit and toner cartridge assembly, quick setup guide, CDROM, AC power cord; USB, Ethernet, and parallel cables not includedIt is strongly suggested to test printing after installation or connection with any desktop or laptop device. Amazon calculates a product's star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers, and factors that establish reviewer trustworthiness. Please try again later. Charles White 5.

0 out of 5 stars My wireless network is in storage with the rest of my belongings so I have not been able to test the networking features of this printer yet. But I can tell you about how this machine prints. I used to own an old Epson Action Laser 1000. It worked well enough at 300 dpi and it was kind of pokey for a laser. I priced cartridges when the toner ran out. It became clear that I could buy a whole printer for less. After reading some reviews, I bought the HL2070N. First impressions 1. It prints beautifully. The print is clear with good monochrome pictures. 2. Its not exactly stealthy. When this printer cranks up to print, it does so in a rather noisy manner. Its not really objectionable but its not something youll run suddenly in a room with a sleeping person. By contrast, inkjets generally whisk along with a whirr and a swish. However, inkjets wont do whats next 3. She really whomps out the pages. Its fast, far faster than my old Epson. Ive seen other reviewers making much of the curl of the pages when they emerge from the printer. As other have said, the pages quickly flatten out again once they cool and the room humidity soaks back in. Its not an issue. Also, other reviewers complained of how the printer makes the lights blink while printing. It does do that a bit. It must have a pretty muscular roller heater. I didnt find it objectionable although it can be noticed. Conclusion thus far Im very satisfied with this printer and Im glad I bought it. Ill update the review about the Ethernet connection once I get my house, unpack my stuff, and get back into networking. Happy printing!One essential requirement was that the printer I chose needed to be capable of being networked since it was shared by others in my family, and I preferred builtin ethernet. After researching a lot of printers, I chose the Brother HL 2070N because of the price, the builtin Ethernet, the excellent reviews, and its low price. I have not been disappointed.

I have a Windows 2003 server that acts as a print server for the family, and the Brother installed easily with the software that was on their website. The Macs in my family already had the correct Brother printer driver as part of OS X, and the PC driver downloaded correctly from the server when each client installed the printer on their machine. Even the Vista driver was provided in the box, an

essential feature for those computer owners who have upgraded. I especially liked the fact that there is a browser interface for managing and configuring the printer, something I wasn't expecting on such a low-priced unit. I'm a little bit biased towards HP printers. When I went shopping, however, none of the smaller HPs that had networking were anywhere near the 2070N in price. Also, the power saving mode is a treat. My HP 4 didn't have it, and the machine had to be manually turned on or off. The Brother is just left on and wakes up when needed, then quickly goes back into power saving mode. The manual feed for envelopes is excellent and prints without wrinkling or creasing. While I've only owned this printer for two weeks, I'd recommend it for any environment that is looking for a high quality laser printer at a giveaway price. I also would like to say that I have not experienced the paper curling issue that is written about so much here. I think the whole issue is a tempest in a teapot. If you're looking for a laser printer with features that are more common on larger units, don't think twice. This is a great value. Each computer still needs a one-time driver set up. Plus I keep a copy of the driver on a network connected NAS drive WD MyBook World Edition, so a new computer can just get the driver off of there easy-peasy. The initial setup of the printer itself took few minutes, but that was 3 years ago and since then, no fiddling with any setup at all. The printer is quiet and does its job.

Whether I'm on a wired desktop computer or a wireless laptop, hitting print just works and sends the document to the printer. The only upkeep is buying more toner from time to time. But even then, once the toner starts to fade out a little, I order another one, but I don't replace it right away. I take out the toner cartridge, give it a gentle shake, and it's good for another couple hundred pages. Once it's truly out, it takes all of 4 minutes to change the toner out.

Page 1 of 1 Start over Page 1 of 1 In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Keep this manual in a convenient place for quick and easy reference at all times.

November 2004 All rights reserved. No part of this publication may be reproduced in any form or by any means without permission. Specifications are subject to change without notice. Trademarks. The Brother logo is a registered trademark of Brother Industries, Ltd. Apple, the Apple Logo, Macintosh and TrueType are registered trademarks of Apple Computer, Inc in the United States and other countries. Epson is a registered trademark and FX80 and FX850 are trademarks of Seiko Epson Corporation. Hewlett Packard is a registered trademark and HP LaserJet 6P, 6L, 5P, 5L, 4, 4L 4P, III, IIIP, II, and IIP are trademarks of Hewlett-Packard Company. IBM, IBM PC, and Proprinter are registered trademarks of International Business Machines. Microsoft, MSDOS, Windows and Windows NT are registered trademarks of Microsoft Corporation in the U.S. and other countries. ENERGY STAR is a U.S. registered mark. Citrix and MetaFrame are registered trademarks of Citrix Systems, Inc.

All other terms and brand and product names mentioned in this Service Manual are registered.

Confidential This information is vital to This manual consists of the following chapters: Information in this manual is subject to change due to improvement or redesign of the A thorough understanding of this printer, based on information in this service manual and Confidential SAFETY INFORMATION. ix Functions. 15. Electronics and Mechanics. 16. Service Information. 17. Network Connectivity. 18. Paper. 19. Toner Cartridge Weight Information. 117 Environment. 21. System Requirements for Brother Printer Solution. 22 For Macintosh Users. 211 Printing on Plain Paper, Recycled Paper, Bond Paper and Transparencies from Confidential Paper Orientation for Manual Duplex Printing. 220 Service Call Indications. 224. Control Panel Button Go button. 225. Other Control Features. 225 Network Factory Default Setting For HL2070N. 227. Network Factory Default Setting with APIPA Protocol Disabled For HL2070N. 228 Main PCB Block Diagram. 32. Main PCB. 33 IEEE 1284 interface. 36. Network interface. 38 Power supply. 316. Power Supply. 317 Paper Transfer. 320 Pushup function of paper tray. 322. Paper registration. 324. Paper eject. 325 Confidential Primary charger. 325. Transfer roller. 325. Cleaner. 325. Toner Cartridge. 326 Exposure stage. 329. Developing. 330. Transfer. 331. Fixing stage. 331. Sensors. 332 Paper Tray.

44. Rear Cover. 45. Rear Chute Cover. 46. Side Cover L. 47. Side Cover R. 47. Front Cover. 410. Pickup Roller Holder ASSY. 411. Fixing Unit. 415. HighVoltage PS PCB ASSY. 421. Main PCB. 422. PS PCB Unit. 425. Laser Unit. 428. Sub Chute ASSY. 430. Link Lever. 431. Tail Edge Actuator. 432. Regist Sensor PCB ASSY. 433. Fan Motor 60 Unit. 434. New Toner Sensor. 436ConfidentialToner Sensor PCB ASSY. 437. Main Motor ASSY. 438. Develop Joint. 440. Main Frame L. 443. Main Frame R. 444Toner Cartridge. 54Cleaning the Corona Wire. 510. Cleaning the Scanner Window. 511. Cleaning the Electrical Terminals. 512Service Calls.

75Warnings for Maintenance Work. 72. Identify the Problem. 73. List of Error Message. 76. Error Message in the Status Monitor. 77. Error Message Printouts. 78ConfidentialDiameter of Rollers. 726. Troubleshooting Image Defect. 727. Location of Grounding Contacts. 744Printing Problem. 748. ProtocolSpecific Troubleshooting. 749User Maintenance Mode. 83. Service Mode. 84. Diagnostics. 812. Printer Information. 814ConfidentialControl for Health and Safety Act of 1968. This means that the printer does not produceSince radiation emitted inside the printer is completely confined within protective housingsCompliance is mandatory for productsOne of the following labels on the back of the printerThe label for Japanese manufactured productsThis product complies with FDA performance standardsNotice No.50, dated July 26, 2001. The label for Chinese manufactured productsBrother Buji Nan Ling. Factory. Gold Garden Ind., Nan Ling Village, Buji, Rong Gang. Shenzhen, CHINA. This product complies with FDA performance standardsNotice No.50, dated July 26, 2001. Caution. Use of controls, adjustments or performance of procedures other than those specified inConfidentialThis printer has a laser diode which emits invisible laser radiation in the Laser Unit. The. Laser Unit should not be opened without disconnecting the two connectors connected withSince the variable resistor in the laser unit is adjustedCaution. Use of controls, adjustments or performance of procedures other than those specified inFor Finland and SwedenMaximum radiation power 5 mW. Laser class Class 3BConfidentialGehäuse der Lasereinheit darf nicht geöffnet werden, da sonst. Laserstrahlen austreten können.Be sure to take off any personalA reflected beam,Since the beam is invisible, the following caution label is attached on the laser unit.ConfidentialWhen opening the front cover or back cover to access any parts inside the printer,ConfidentialHigh Resolution and Fast Print SpeedVersatile Paper Handling.